International Journal of Food Microbiology, 14 (1991) 339–341

© 1991 Elsevier Science Publishers B.V. All rights reserved 0168-1605/91/$03.50

Author index

Auffray, Y., see Boutibonnes, P. (14) 1

Bergdoll, M.S., see Pereira, J.L. (14) 19
Blais, B.W. and Yamazaki, H.
Application of polymyxin-coated polyester cloth to the semi-quantitation of *Salmonella* in processed foods (14) 43
Boutibonnes, P., Gillot, B., Auffray, Y. and Thammavongs, B.
Heat shock induces thermotolerance and inhibition of lysis in a lysogenic strain of *Lactococcus lactis* (14) 1
Brosch, R., see Buchrieser, C. (14) 297
Buchrieser, C., Brosch, R. and Rocourt, J.
Use of pulsed field gel electrophoresis to compare large DNA-restriction fragments of *Listeria monocytogenes* strains belonging to serogroups 1/2 and 3 (14) 297
Busse, M., see Sulzer, G. (14) 287

Camacho, L., Sierra, C., Marcus, D., Guzmán, E., Campos, R., Von Bäer, D. and Trugo, L.
Nutritional quality of lupine (*Lupinus albus* cv. Multolupa) as affected by lactic acid fermentation (14) 277
Campos, R., see Camacho, L. (14) 277
Collins-Thompson, D.L., Slade, P.J. and Goethals, M.
Use of low molecular mass RNA profiles to identify lactic acid bacteria and related organisms associated with foods (14) 135

De Bertoldi, M., see Stecchini, M.L. (14) 99
Debevere, J.M., see Zeitoun, A.A.M. (14) 161
Devriese, L.A., see Mathieu, A.-M. (14) 119
Dufrenne, J., see Notermans, S. (14) 325

Erkiaga, E., see Perales, I. (14) 51

Falcão, D.P.
Occurrence of *Yersinia* spp. in foods in Brazil (14) 179
Farrell, G.M. and Marth, E.H.
Borrelia burgdorferi: another cause of foodborne illness? (14) 247

Gill, C.O., see Reichel, M.P. (14) 27
Gillot, B., see Boutibonnes, P. (14) 1
Godard, C., see Mathieu, A.-M. (14) 119
Goethals, M., see Collins-Thompson, D.L. (14) 135
Guzmán, E., see Camacho, L. (14) 277

Hollywood, N.W., Varabioff, Y. and Mitchell, G.E.
The effect of microwave and conventional cooking on the temperature profiles and microbial flora of minced beef (14) 67
Holmstrøm, K., see Rossen, L. (14) 145
Huerta, T., see Mateo, J.J. (14) 153

Ibeh, I.N., Uraih, N. and Ogonor, J.I.
Dietary exposure to aflatoxin in Benin City, Nigeria: a possible public health concern (14) 171
In 't Veld, P., see Notermans, S. (14) 325
Isigidi, B.K., see Mathieu, A.-M. (14) 119

Jimenez, M., see Mateo, J.J. (14) 153
Jones, R., see Reichel, M.P. (14) 27

Kelly, T.M., see McClure, P.J. (14) 77

Manafi, M. and Rotter, M.L.
A new plate medium for rapid presumptive identification and differentiation of Enterobacteriaceae (14) 127
Marcus, D., see Camacho, L. (14) 277
Marth, E.H., see Farrell, G.M. (14) 247
Martinez, A., see Tapia de Daza, M.S. (14) 333
Mateo, J.J., Jimenez, M., Huerta, T. and Pastor, A.
Contribution of different yeasts isolated from musts of monastrell grapes to the aroma of wine (14) 153

Mathieu, A.-M., Isigidi, B.K., Devriese, L.A., Godard, C. and Vanhoof, R.
Characterization of *Staphylococcus aureus* and *Salmonella* spp. strains isolated from bovine meat in Zaïre (14) 119
McClure, P.J., Kelly, T.M. and Roberts, T.A.
The effects of temperature, pH, sodium chloride and sodium nitrite on the growth of *Listeria monocytogenes* (14) 77
Mitchell, G.E., see Hollywood, N.W. (14) 67

Notermans, S., Dufrenne, J. and 't Veld, P.
Feasibility of a reference material for staphylococcal enterotoxin A (14) 325
Notermans, S., see Tschirdewahn, B. (14) 175

Ogonor, J.I., see Ibeh, I.N. (14) 171
Olsen, J.E., see Rossen, L. (14) 145
Olsvik, Ø., see Skjerve, E. (14) 11

Pastor, A., see Mateo, J.J. (14) 153
Perales, I. and Erkiaga, E.
Comparison between semisolid Rappaport and modified semisolid Rappaport-Vassiliadis media for the isolation of *Salmonella* spp. from foods and feeds (14) 51
Pereira, J.L., Salzberg, S.P. and Bergdoll, M.S.
Production of staphylococcal enterotoxin D in foods by low-enterotoxin-producing staphylococci (14) 19
Peters, A.C., see Thomas, L.V. (14) 261
Peterz, M.E.G.
Temperature in agar plates and its influence on the results of quantitative microbiological food analyses (14) 59
Phillips, D.M., see Reichel, M.P. (14) 27
Phillips, J.G., see Szczawińska, M.E. (14) 313

Rasmussen, O.F., see Rossen, L. (14) 145
Recommendations by The National Advisory Committee on Microbiological Criteria for Foods,
Listeria monocytogenes (14) 185
Reichel, M.P., Phillips, D.M., Jones, R. and Gill, C.O.
Assessment of the hygienic adequacy of a commercial hot boning process for beef by a temperature function integration technique (14) 27
Roberts, T.A., see McClure, P.J. (14) 77
Rocourt, J., see Buchrieser, C. (14) 297
Rørvik, L.M., Yndestad, M. and Skjerve, E.
Growth of *Listeria monocytogenes* in vacuum-packed, smoked salmon, during storage at 4 °C (14) 111
Rossen, L., Holmstrøm, K., Olsen, J.E. and Rasmussen, O.F.
A rapid polymerase chain reaction (PCR)-based assay for the identification of *Listeria monocytogenes* in food samples (14) 145
Rotter, M.L., see Manafi, M. (14) 127

Salzberg, S.P., see Pereira, J.L. (14) 19
Sarais, I., see Stecchini, M.L. (14) 99
Sierra, C., see Camacho, L. (14) 277
Skjerve, E. and Olsvik, Ø.
Immunomagnetic separation of *Salmonella* from foods (14) 11
Skjerve, E., see Rørvik, L.M. (14) 111
Slade, P.J., see Collins-Thompson, D.L. (14) 135
Stecchini, M.L., Sarais, I. and De Bertoldi, M.
The influence of *Lactobacillus plantarum* culture inoculation on the fate of *Staphylococcus aureus* and *Salmonella typhimurium* in Montasio cheese (14) 99
Sulzer, G. and Busse, M.
Growth inhibition of *Listeria* spp. on Camembert cheese by bacteria producing inhibitory substances (14) 287
Szczawińska, M.E., Thayer, D.W. and Phillips, J.G.
Fate of unirradiated *Salmonella* in irradiated mechanically deboned chicken meat (14) 313

Tapia de Daza, M.S., Villegas, Y. and Martinez, A.
Minimal water activity for growth of *Listeria monocytogenes* as affected by solute and temperature (14) 333
Thammavongs, B., see Boutibonnes, P. (14) 1
Thayer, D.W., see Szczawińska, M.E. (14) 313
Thomas, L.V., Wimpenny, J.W.T. and Peters, A.C.
An investigation of the effects of four variables on the growth of *Salmonella typhimurium* using two types of gradient gel plates (14) 261
Trugo, L., see Camacho, L. (14) 277
Tschirdewahn, B., Notermans, S., Wernars, K. and Untermann, F.
The presence of enterotoxigenic *Clostridium perfringens* strains in faeces of various animals (14) 175

Untermann, F., see Tschirdewahn, B. (14) 175
Uraih, N., see Ibeh, I.N. (14) 171

Vanhoof, R., see Mathieu, A.-M. (14) 119
Varabioff, Y., see Hollywood, N.W. (14) 67
Villegas, Y., see Tapia de Daza, M.S. (14) 333
Von Bäer, D., see Camacho, L. (14) 277

Wernars, K., see Tschirdewahn, B. (14) 175
Wieneke, A.A.
Comparison of four kits for the detection of staphylococcal enterotoxin in foods from outbreaks of food poisoning (14) 305
Wimpenny, J.W.T., see Thomas, L.V. (14) 261

Yamazaki, H., see Blais, B.W. (14) 43
Yndestad, M., see Rørvik, L.M. (14) 111

Zeitoun, A.A.M. and Debevere, J.M.
Inhibition, survival and growth of *Listeria monocytogenes* on poultry as influenced by buffered lactic acid treatment and modified atmosphere packaging (14) 161

International Journal of Food Microbiology, 14 (1991) 343–344

© 1991 Elsevier Science Publishers B.V. All rights reserved 0168-1605/91/$03.50

Subject index

Aflatoxin, (14) 171
Agar plate, (14) 59
Alkaloid, (14) 277
Amino acid, (14) 277
Antagonistic activity, (14) 99

Bacteriocin, (14) 287
Beef, (14) 27
Biotype, (14) 119
Borrelia burgdorferi, (14) 247
Brazil, (14) 179

Camembert cheese, (14) 287
Chicken, (14) 313
Chromogenic, (14) 127
Clostridium perfringens, (14) 175
Commercial kit, (14) 305
Conventional cooking, (14) 67
Culture media, (14) 51
Culture medium, (14) 127

Decontamination, (14) 161
Detection, (14) 145
DNA-probe, (14) 145
DNA Restriction profiles, (14) 297

ELISA, (14) 325
Enterobacteriaceae, (14) 127
Enterotoxigenicity, (14) 119
Enterotoxin, (14) 175
Enterotoxin producer, ng/ml level, (14) 19

Faeces, (14) 175
Feeds, (14) 51
Fermentation, (14) 153; (14) 277
Fish, (14) 111
Fluorogenic, (14) 127
Food, (14) 11; (14) 51; (14) 171
Food manufacturing, (14) 43
Foods, (14) 127; (14) 145; (14) 179

Gas chromatography, (14) 153
Genomic diversity, (14) 297

Growth, (14) 333
Growth inhibition, (14) 287

pH, (14) 77; (14) 261
Heating-up rate, (14) 59
Heat shock response, (14) 1
Hot boning, (14) 27
Hygiene, (14) 27

Identification method, (14) 135
Immunomagnetic separation, (14) 11
Incubation temperature, (14) 59
Ixodes, (14) 247

Lactic acid bacteria, (14) 135
Lactic acid buffer, (14) 161
Lactobacillus plantarum, (14) 99
Lactobacillus spp., (14) 277
Lactococcus lactis, (14) 1
Listeria, (14) 77; (14) 287
Listeria monocytogenes, (14) 67; (14) 111; (14) 145; (14) 161; (14) 297; (14) 333
Low molecular mass RNA profile, (14) 135
Lupine, (14) 277
Lyme borreliosis, (14) 247
Lyme disease, (14) 247
Lysogenic induction, (14) 1

Microbial flora, (14) 67
Microbiological food analysis, (14) 59
Microwave cooking, (14) 67
Modified atmosphere packaging, (14) 161
Monitoring, (14) 43
Montasio cheese, (14) 99

NaCl, (14) 261

Oligosaccharide, (14) 277

Phage typing, (14) 119
Phytate, (14) 277
Poultry, (14) 161
Prevalence, (14) 171

Public health, (14) 171

Radiation, (14) 313
Rapid identification, (14) 127
Recovery, (14) 325
Reference material, (14) 325
Refrigeration, (14) 111
Riboflavin, (14) 277

Salmonella, (14) 11; (14) 43; (14) 51; (14) 313
Salmonella enteritidis, (14) 51
Salmonella spp., (14) 119
Salmonella typhimurium, (14) 99
Salmonella typhimurium CRA663, (14) 261
Semisolid media, (14) 51
Shelf life, (14) 161
Sodium chloride, (14) 77
Sodium nitrite, (14) 77; (14) 261
Solute, (14) 333
Staphylococcal enterotoxin A, (14) 325
Staphylococcal enterotoxin detection, (14) 305
Staphylococcal food poisoning, (14) 305
Staphylococcus, (14) 19
Staphylococcus aureus, (14) 99; (14) 119
Storage time, (14) 313
Susceptibility, (14) 119

Temperature, (14) 77; (14) 261
Temperature abuse, (14) 313
Temperature history, (14) 27
Temperature measurement, (14) 59
Temperature profile, (14) 67
Thermotolerance, (14) 1
Two-dimensional gradient plates, (14) 261
Typing, (14) 297

Volatile, (14) 153

Water activity, (14) 333
Wine, (14) 153

Yeast, (14) 153

Yersinia spp., (14) 179